

U. S. POSTAGE P A I D

Jacksonville, Fla. Permit No. 173

THERE'S A Growing DIFFERENCE

Important

Market Quotations

Return Postage Guaranteed

LIBRARY

U. S. DEPT. OF AGRICULTURE WASHINGTON. D. C.



SPECIAL QUOTATIONS

Open Daily 8:30 to 5 P.M.
Closed Saturday DepartmPhone EL 6-5739

1510 EAST ADAMS STREET . P. O. BOX 1166 . JACKSONVILLE 1, FLORIDA

TERMS AND CONDITIONS

Quotations herein subject to change without notice and are for full bags.

Prices are Net FOB Jacksonville, Fra., unless otherwise stated.

'The Bingham Seed Company warrants to the extent of the purchase price that seeds sold are as described on the container within recognized tolerances. Seller gives no other or further warranty, expressed or implied." All contracts subject to delays and contingencies beyond our control.

| *ALFALFA, Peruvian (100#sx)  | Hegari, Regular 5.50 cwt.                |  |  |  |
|--|--|--|--|--|
| BENNE, Imported (100#sx) 24 "  | Hegari, Regular (Certified). 6.00 "      |  |  |  |
| BUCKWHEAT, (100#sx) 7.00 cwt.  | Milo, Martin (Certified) 4.75 "          |  |  |  |
| CANE, (100#sx)   | Sart (Certified) 18.00 "                 |  |  |  |
| Black Amber, Certified $.09\frac{1}{2}$ lb.                                | Shallu (Egyptian Wheat) 10.00 "          |  |  |  |
| Black Amber, Select 07½ "  | Tracy (Certified) 15.00 "                |  |  |  |
| Orange, Certified  | GRASSES, (100#sx)                        |  |  |  |
| Sugar Drip   | (BAHIA SCARIFIED 1¢ EXTRA)               |  |  |  |
| CHUFAS, $(100\#sx)$ $(2\frac{1}{2} bu.)$ 7.00 bu.                          | Bahia, Pensacola ASK                     |  |  |  |
| *CLOVER, Alyce (100#sx)  | (NUCROP ABOUT 30 DAYS)                   |  |  |  |
| Dixie Crimson, Affidavit   | Bent, Highland (Cert)BOOKING .30 lb.     |  |  |  |
| Kenland Red  | Bent, Seaside (Cert) BOOKING 1.00 "      |  |  |  |
| Ladino, Certified  |  |  |  |  |
| CORN, (2 bu. sx.) (**TREAT)  | Bermuda, Ex. Fancy Quality . ASK         |  |  |  |
|  |  |  |  |  |
| Hasting's White Prolific 3.85 bu.  | Carpet                                   |  |  |  |
| Hasting's Yellow Prolific 3.85 "   | Johnson                                  |  |  |  |
| Hickory King 5.00 "  | Ryegrass (BOOKING) 11.00 cwt.            |  |  |  |
| Improved Golden Dent 3.75 "  | Sudan, Sweet $08\frac{1}{2}$ lb.         |  |  |  |
|  | *INDIGO, Hairy (100#sx) Early25 "        |  |  |  |
| *COWPEAS, (2 bu. sx.)  | Late                                     |  |  |  |
| Brabhams 7.25 "  | *LESPEDEZA, Kobe (100#sx)                |  |  |  |
| Irons 6.50 "   | MILLET, (100#sx) Brown Top13 "           |  |  |  |
| *CROTALARIA, (100#sx)  | Cattail (Pearl)                          |  |  |  |
| Early Spectabilis  | Japanese                                 |  |  |  |
| Giant Striata  | Starr (Pearl) Affidavit.                 |  |  |  |
| CROWDER & EDIBLE PEAS (100#sx)   | Starr (Pearl) Affidavit                  |  |  |  |
| Alabama Crowders   | PEANUTS, (50#sx)                         |  |  |  |
| Blackeyes, Certified No. 5's12"  | Valencia                                 |  |  |  |
| " Early Wilt-Resistant12 "   | RAPE, Dwarf Essex (100#sx)10 "           |  |  |  |
| " Ramshorn   | *SESBANIA, Southern (100#sx)07 "         |  |  |  |
| Blue Goose   | Western Scarified                        |  |  |  |
| Dixie Lee $18\frac{1}{2}$ "  | *SOYBEANS, Clemson (2 bu. sx.). 3.50 bu. |  |  |  |
| Dixie Queen, Purple Hulls  | SUNFLOWER, (100#sx)                      |  |  |  |
| Lady Peas  | Extra Large Greystripe 19 lb.            |  |  |  |
| Purple Hulls (Brown Type) . ASK  | VELVET BEANS, (2 bu. sx.)                |  |  |  |
|  |  |  |  |  |
| GRAIN SORGHUMS, (100#sx)   | 90-Day Speckled 6.95 bu.                 |  |  |  |
| Hegari, Early 5.25 cwt.  | Osceola 6.95 "                           |  |  |  |
| Hegari, Early (Certified) 5.75 "   | Mixed 6.00 "                             |  |  |  |
|  |  |  |  |  |
| *TREAT THESE WITH  |  |  |  |  |
| NITRAGIN INOCULATION SIZE  | DIXIE INOCULANT SIZE                     |  |  |  |
| "E" Peas-Velvet Beans-Alyce Clover   | Cowpeas-Crotalaria-Velvet                |  |  |  |
| Crotalaria-Hairy Indito 100# .30 ea.                                       | Beans 100# .30 ea.                       |  |  |  |
| "L" Lespedeza 100# .35 "   | Lespedeza-Alyce Clover-Hairy             |  |  |  |
| Sesbania (72 per case) 1 bu40 "  | Indigo 100# .30 "                        |  |  |  |
| "S" Soybeans(72 per case) 2 bu25 "   | Soybeans 2 bu20 "                        |  |  |  |
| "S" Soybeans(72 per case) 2 bu25 " "S" Soybeans(24 " carton) 5 bu40 "      | Soybeans 5 bu35 "                        |  |  |  |
| (PACKED 12 PER CARTON - 48 PER CASE.)                                      |  |  |  |  |
| ***************************************                                    | それれようなないかってももんりもももももももなるまましいいないないない      |  |  |  |
| **STANLEY'S CROW REPELLENT - 1 bu. size .50                                | each.                                    |  |  |  |
| *************************************                                      |  |  |  |  |
| Cyclone Lawn Spreaders - \$13.80 each Cy                                   |  |  |  |  |
| Seymour Seedkasters - \$5.75 each.   |  |  |  |  |
| VIGORO (50#sx) - \$2.12 each W   | ith Chlordane (50#sx) - \$2.50 each.     |  |  |  |
| Golden Vigoro (50#sx) - \$3.12 each AZALEA-CAMELLIA (25#sx) - \$1.45 each. |  |  |  |  |
| BLU-GREEN FERTILIZER (100#sx) - \$58.00 per to                             | on \$3.95 per 100# bag.                  |  |  |  |
| POWER SEED SOWERS:   |  |  |  |  |
| Model M-1 Cyclone (6 Volt Motor) - \$35.40 each.                           |  |  |  |  |
| Model S-1 Cyclone (Power take-off) - \$43.15 each.                         |  |  |  |  |
| moder par electron (Ioner owne-orr) - Arther)                              |  |  |  |  |
|  |  |  |  |  |

## FIELD AND GRASS SEED PLANTING CHART

|  | Wt.        | Lbs.            |   |
|--|------------|-----------------|---|
| Customary weights per bushel, pounds per acre, and usual time of seeding in latitude of Fla.   | Per<br>Bu. | Per<br>Acre     | Time for Seeding  |
| Alfalfa-Drilled or Broadcast   | 60         | 20-30           | Sept.—Jan.  |
| Barley-Broadcast   | 48         | 72-96           | Sept.—Dec.  |
| Beggarweed—(Drill 3-5#)  | 60         | 12-15           | April—June  |
| Beggarweed—(Drill 3-5#) Benne—Drilled Buckwheat—Broadcast  | 48         | 3-5<br>48-96    | March-June<br>OctNov., MarJune  |
| Cane (Sorahum) Drill 10-15#  | 50         | 50-75           | March—August  |
| Chuias—Drilled Clover—Alsike—Broadcast Clover—Alyce—Broadcast Clover—Black—Medic—Broadcast   | 40         | 12-15           | April—July  |
| Clover—Alsike—Broadcast  | 60         | 6-10<br>10-15   | Sept.—May   |
| Clover—Black—Medic—Broadcast   | 60<br>60   | 10-15           | March—July<br>Sept.—March   |
| Clover-Bur (In Bur)-Broadcast  | 111        | 30-50           | Sept.—Nov., Feb.—March<br>Sept.—Nov., Feb.—March  |
| Clover—Bur (Hulled)—Broadcast  | 60         | 12-15           | Sept.—Nov., Feb.—March  |
| Clover—Crimson—Broadcast<br>Clover—Hop—Broadcast   | 60<br>60   | 15-20<br>4-6    | August—Nov.<br>Sept.—Mar.   |
| Clover—Hubam—Broadcast   | 60         | 15-25           | Sent -Dec   |
| Clover-Ladino-Broadcast  | 60         | 5-6             | Sept.—Jan.  |
| Clover—Melilotus Indica Broadcast Clover—Persian—Broadcast   | 60<br>60   | 15-18<br>6-8    | Sept.—Jan.<br>Sept.—Nov., Feb.—Mar.<br>Sept.—Nov., Feb.—Mar.                              |
| Clover—Red—Broadcast   | 60         | 12-15           | August-Jan.   |
| Clover-White Dutch-Broadcast   | 60         | 3-5<br>7-10     | Sept.—Jan.  |
| Cotton—Sea Island—Drill  | 40         | 10              | Feb.—July<br>Jan.—May   |
| Cotton—Short Staple—Drill  | 30         | 20-30           | Jan.—May  |
| Cowpeas—(Drill 20-30#)   | 60         | 60-90           | Mar.—August   |
| Crotalaria—Intermedia  | 60         | 12-20<br>6-10   | March—July<br>March—July  |
| Clover—Persian—Broadcast Clover—Red—Broadcast Clover—White Dutch—Broadcast Corn—(For Silage 12-15#) Drill Cotton—Sea Island—Drill Cotton—Short Staple—Drill Cowpeas—(Drill 20-30#) Crotalaria—Spectabilis (Drill 6-8) Crotalaria—Intermedia Crotalaria—Giant Striata Grain—Soughum—Hagari—(Drill 10-12#)   | 60         | 10-20           | March—July  |
| Grain Sorghum—Hegari—(Drill 10-12#)  Martins Milo—(Drill 10-12#)  Sart  Cases Rebis  | 50         | 40-50           | March—July  |
| Martins Milo—(Drill 10-12#)  | 50<br>50   | 40-50           | March-July  |
| Grass-Bahia  | 42         | 25-30<br>15-20  | March—July<br>Feb.—Nov.   |
| Grass—Bermuda (Unhulled) Pasture   | 35         | 8-10            | Feb.—Nov.   |
| Grass—Bermuda (Unhulled) Pasture Grass—Bermuda (Unhulled) Lawns (Per 1,000 sq. ft. Use 1/3 less of Hulled) Grass—Blue—Broadcast Grass—Buffel Grass—Carpet—Pasture—Broadcast  | 35         | 3-5             | Feb.—Nov.   |
| Grass—Blue—Broadcast   | 14         | 25-35           | Sept.—March   |
| Grass-Buffel   | 15         | 1               | Spring & Early Fall   |
| Grass-Carpet-Pasture-Broadcast Grass-Carpet-Lawre (1 000 ea ft )   | 18<br>18   | 15-20<br>8-10   | Sept.—June<br>Sept.—June  |
| Grass—Carpet—Lawns (1,000 sq. ft.) Grass—Dallis—Pasture—Broadcast  | 15         | 10-15           |   |
| Grass—Fescue, Kentucky 31<br>Grass—Fescue, Meadow  | 2.4        | 14-18           | Spring & Fall August—Dec. Sept.—Oct., Feb.—May March—July Sept.—Oct., Feb.—May Oct.—March |
| Grass—Fescue, Meadow<br>Grass—Johnson—Broadcast  | 24<br>28   | 25-30<br>20-30  | Sept.—Oct., Feb.—May  |
| Grass—Orchard Grass—Red Top—Broadcast  | 14         | 20-25           | Sept.—Oct., Feb.—May  |
| Grass—Red Top—Broadcast  | 32         | 8-10            |   |
| Grass—Rescue<br>Grass—Rhodes   | 211        | 20-30<br>10-20  | Sept.—Jan.<br>Spring & Fall   |
| Grass—Sudan Grass—Tall Meadow Oat Grass—Weening Lovegrass  | 50         | 15-25           | Spring & Fall<br>March—July<br>Sept.—Nov., Jan.—May                                       |
| Grass—Tall Meadow Oat  | 11<br>60   | 30-40<br>1-2    | Sept.—Nov., Jan.—May  |
| The state of the s | 55         | 6-8             | March—August  |
| Hairy IndigoBroadcast  |            | 25-30           | March—July<br>Feb.—May  |
| Lespedeza—Kobe—Broadcast   | 22         | 30-35           | Feb.—May  |
| Lespedeza—Korean—Broadcast Lespedeza—Sericea (Drill 3-5) Lupine—(Drill 25#)  | 25         | 25-30           | Feb.—May  |
| Lespedeza—Sericea (Drill 3-5)  | 60<br>60   | 15-20<br>50     | Feb.—May<br>Oct.—Dec.   |
| Millet—Brown Top—Drills  | 50         | 6-10            | March—July  |
| MilletCattail Drills   | 50         | 8-12            | March—July  |
| Millet-German-Broadcast  | 50<br>50   | 30-50           | March—July  |
| Millet—Japanese Millet—Starr   |            | 16<br>15        | April—August<br>April—July  |
| Oats—Broadcast   |            | 64-96           |   |
| rednuts-Unshelled-Drills   | 23         | 50-75           | Oct.—Jan.<br>March—June   |
| Rape—(Drills 4-5#)   | 56         | 10-12           | Sept.—May   |
| Rye—Broadcast  | 56<br>44   | 56-84<br>23-35  | Sept.—Dec.<br>March—May   |
| Rice—For Upland Planting Rice—For Tidewater Planting   | 44         | 90-125          | March-June  |
| Seshania—Broadcast   | 69         | 15-30           | April—July  |
| Soybeans—Small Seeded (Drill 12-15#) Soybeans—Large Seeded (Drill 30-40#)  | 60<br>60   | 60-90<br>60-90  | March—July<br>March—July  |
| Sunflower—Drills   | 22         | 6-8             | - April—July  |
| Velvet Beans—Drills  | 60         | 20-30           | March—July  |
| Vetch—Broadcast Wheat—Broadcast  | 60         | 20-30           | Sept.—Nov.  |
| Wheat Founting   | 60<br>50   | 75-120<br>10-12 | Oct.—Dec.   |
| Wheat—Egyptian Winterpeas—Austrian—Broadcast   | 60         | 30-40           | April—July<br>Sept.—Dec.  |
| Winterpeas—Austrian—Broadcast Winterpeas—Wild—Broadcast  | 60         | 15-20           | Sept.—Dec.  |
|  |            |                 |   |

## NOTICE

"Under the Florida law, no legal action can be brought by the ultimate purchaser of the seeds sold against the seller for damages claimed to have resulted from any defect or failure of said seeds to be as represented by the information shown on the label or tag, unless notice of such defect or variation from such information is given to the seller within a reasonable time, and not later than 15 days from the time such defect or variation becomes apparent, and is observed by the ultimate purchaser."